

# VIRGUN POWER User Manual

## VIRGUN



**innOTECH**

InnoTech Co., Ltd.



- Please read this manual carefully before use and operate the product properly.
- This product was developed and manufactured by INNOTECH in Korea.

# VIRGUN

## User Manual


### Main Components

- ① Nozzle
- ② LED Display
- ③ Belt Hook
- ④ Solution Control Valve
- ⑤ LED Switch
- ⑥ Airflow Control Switch
- ⑦ Shoulder Belt Stopper
- ⑧ Tank Cap
- ⑨ Rubber Valve
- ⑩ Solution Filter
- ⑪ Shoulder Belt
- ⑫ Battery
- ⑬ ON/OFF Switch
- ⑭ Charging Port
- ⑮ Power Socket



# VIRGUN

## VIRGUN POWER Detailed Specifications



This sprayer is designed for convenient use in sterilization, disinfection, and pest control applications.

**Spray Distance:** 8 - 10 m ( $\approx$  26.2 - 32.8 ft)

**Particle Size:** 10 - 30  $\mu$ m ( $\approx$  0.0004 - 0.0012 in)

**Solution Tank Capacity:** 4 L ( $\approx$  1.06 gal)

**Spray Rate:** 500 mL/min ( $\approx$  16.9 fl oz/min)

**Rated Voltage:** 220V, 50/60Hz

**Operating Time:** Continuous use

**Power Consumption:** 1130 W

**Weight:** 4 kg ( $\approx$  8.8 lb)

## Features


- Cordless design — operates without external wiring or leads.
- Spray distance and particle size can be adjusted according to airflow and solution control.
- Built-in shoulder belt helps prevent contamination compared to detachable belts.
- Equipped with an LED light for convenient nighttime operation.
- BLDC motor provides longer service life and higher energy efficiency than standard motors.
- Utilizes pressure-based fine mist spraying to maximize pest control efficiency.

# VIRGUN

## VIRGUN POWER Detailed Specifications

### How to Use the Product

1. Fill the solution tank with water and the proper amount of solution, then securely close the cap (a).
2. Set the ON/OFF switch (b) located beneath the rear battery to the ON position.
3. Adjust the belt hook to fit your body, attach the hook, and press the stopper (c) to secure it.
4. Push the airflow control switch (d) to activate the motor.
5. Turn the solution control valve (e) counterclockwise to spray the solution.



### Cautions During Use

- Wear protective equipment when handling or spraying toxic chemicals.
- Never connect the power when the unit is wet or submerged in water.
- This device is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, without supervision

### Cautions for Storage

- Do not leave the device in places exposed to high temperatures.
- Do not store in wet or humid areas where water may splash.
- Clean the device with a soft cloth.
- Do not spray flammable materials (such as benzene, thinner, or alcohol) or surfactants.
- After use, rinse the remaining solution in the tank with clean water and operate the sprayer once with water to remove any residue from the internal tank and hose before storage.